

to Difcon

How came a hawk to esp.

H. Lee

of 165 | ~~either had to account~~
| ~~for want of feathers~~
of 166 | ~~or for want of~~
| ~~account of feathers~~
R | ~~the first eggs were eaten~~
| ~~before the hawks~~
| ~~were seen~~
| ~~in the collection~~
| ~~the first specimen was an~~

In the f. 77. a bird goes to set.

June 1st had (by esp) no. 2 769.
var. of Pigeon.

No. 2 769

1.6

f. 11 to 184

h. 237

k. 247

l. 428

14. Pigeon found in New York 8/19. (2)

88 Case of this collection & mentioned in J. Oliver 1850

- Inf between the two Pairs (2)

97 Found under Rock, Fan-tail & wings - p. 110. (2)

155 Blue Rock. So not like the Pigeon (A. S. H. 156 (2)

247 Found up lake, the head slightly (2)

428 Egg from Smith's collection

(18)

Red

Wright's

Red

Red

Columella } & Pliny } Varr } & Orian
8/8 ch. | L 10. 53 | IX/2 | 3/15
| | | Greek

Med. Recd Aldrovandi
in Royal Soc

Recd Willott in Royal Soc
no later & Ray

Med Salter in Royal Soc.

Sloane Birds of Jamaica

British Birds 1432 from
1760

Recd — Ray

Frisch in German Book

Heine & Riedel

Recd — other Royal 1428 1731-38

p 57. — 18 days - took a
nest of 2 o. work

